

3 APRIL 2002



Security

**INSTALLATION RANDOM ANTITERRORISM
(AT) MEASURE PROGRAM**

COMPLIANCE WITH THIS PUBLICATION IS MANDATORY

NOTICE: This publication is available digitally on the AFDPO WWW site at:
<http://www.e-publishing.af.mil>

OPR: 439 SFS/CD (Capt Ronald Coburn)

Certified by: 439 SPTG/CC (Col Dana S. Marsh)

Pages: 3

Distribution: F

This instruction implements AFD 31-2, *Law Enforcement*, and DoDD 2000.12, *DoD Antiterrorism/Force Protection (AT/FP) Standards*. DoD O-2000.12-H, *Protection of DoD Personnel, Activities Against Acts of Terrorism and Political Turbulence*, and AFI 31-210, *The Air Force Antiterrorism/Force Protection (AT/FP) Program Standards*, also apply to this instruction. It outlines procedures, relationships, and responsibilities for implementing and conducting Random Antiterrorism Measures (RAM) at Westover ARB. It applies to all organizations and personnel assigned or attached to Westover ARB.

1. General. The implementation of RAM change the security atmosphere surrounding an installation. A comprehensive and well-developed RAM program will alter the external appearance and security footprint of the installation to terrorists, their supporters who may be providing surveillance assistance, and criminal elements. RAM programs confront a terrorist or criminal group with an ambiguous and unpredictable situation that will complicate their planning processes for attacks. RAM also tests elements of the security system to include Force Protection Condition (FPCON) actions. As such, they provide training to installation personnel, allow us to evaluate their security effectiveness and determine logistical requirements for FPCON an various security and contingency actions. RAM execution shall be broad based and involve a variety of career fields and personnel. Further this program is in compliance with DoD standard 13, from DoDD-2000.12 and will implement the RAM program according to DoDD 2000.12 and is applicable to all units on this installation. The RAM program will be included in the wing OPLAN 31-101, Installation Security Plan, and applicable annexes and tie directly with all FPCONs (including FPCON NORMAL), as listed in DoDD 2000.12 and DoDO-2000.12-H which will ensure continuity and standardization among the Air Force should threats required United States Air Force-wide implementation.

2. Concept of Operations. During every FPCON, to include FPCON NORMAL, RAM will be selected from higher FPCON actions. Generally speaking, RAM will be derived from the next two higher FPCONs for implementation in the current FPCON. For example, in FPCON ALPHA, RAM will generally be selected from FPCONs BRAVO and CHARLIE. Additional RAM that are not FPCON measures may be developed and added to the listing of RAM.

- 2.1. RAM will be implemented at any time regardless of the current threat posture.
- 2.2. RAM can be used in conjunction with FPCON changes, Crisis Action Checklists and other contingency actions.
- 2.3. Additional AT measures will be incorporated in plans for functions such as change of commands, open houses, and organized off-base activities and will be coordinated through the chain of command from the Security Forces Commander (439 SFS/CC) through the Support Group Commander (439 SPTG/CC) to the Installation Commander (439 AW/CC).
- 2.4. This program also incorporates RAM specific to aviation installation FPCON procedures as a part of the installation antiterrorism measures in accordance with AFI 31-210.

3. Procedures.

- 3.1. RAM will be implemented in a random manner during every FPCON to include FPCON NORMAL so that times for implementation, location, and duration will be regularly changed to avoid predictability. Key to the installation's RAM program is the support of individual workcenters tasked to perform RAM.
- 3.2. A listing of RAM will be continuously reviewed and/or developed by the installation AT/FP officer or noncommissioned officer (NCO). The RAM listing will be revalidated by the Installation Security Council (ISC) at least semi-annually and will be signed by the 439 AW/CC.
- 3.3. No later than the 20th of each month the installation AT/FP officer or NCO will develop a RAM schedule for the following month using the approved RAM listing. This monthly RAM schedule will be forwarded through the chain of command to the 439 AW/CC for approval and signature. The RAM schedule will include for each RAM at a minimum:
 - 3.3.1. A description of the RAM to be completed.
 - 3.3.2. The date the RAM is to be completed.
 - 3.3.3. The workcenter(s) tasked to perform the RAM.
 - 3.3.4. The frequency of the RAM if it is to be conducted more than once.
 - 3.3.5. The duration of the RAM, if required. The RAM schedule may direct the time the RAM is to be conducted or just specify the date, depending on the nature of the RAM.
 - 3.3.6. Reporting instructions and actions for the workcenter will also be included for the RAM.
- 3.4. Once approved the schedule will be posted with the AT/FP officer and NCO and at the law enforcement desk and central security control. The AT/FP officer or NCO will notify in writing each affected workcenter, through their chain of command, of their requirement to perform the RAM and all associated information from the RAM schedule for the RAM. This notification will be at least one week prior to the scheduled RAM.
- 3.5. Tasked organizations and workcenters will perform their RAM as ordered by the 439 AW/CC and notify 439 SFS as listed below.
 - 3.5.1. After completion of the RAM, the tasked organization will contact the law enforcement desk at 557-3557 and notify the desk sergeant that they have completed the RAM. Pertinent information concerning the time, location, and results of the RAM will be recorded by the desk ser-

geant and included in the Security Forces blotter along with the name, office symbol, and telephone number of the person making the notification.

3.5.2. If the RAM cannot be performed, the tasked organization will contact the law enforcement desk at 557-3557 and notify the desk sergeant that they could not complete the RAM. Pertinent information to include the reason the RAM was not completed will be recorded by the desk sergeant and included in the Security Forces blotter along with the name, office symbol, and telephone number of the person making the notification. The 439 SFS/CC will be notified in writing of the reason the RAM was not conducted. This notification must be made within five working days of the scheduled date of the RAM. Notification letters outlining a RAM that could not be, or were not, conducted will be maintained by the 439 SFS/SFOF for at least one year.

3.6. The 439 SFS/SFO and SFOF will conduct random visits to organizations tasked to perform RAM to provide guidance and assistance in conducting their RAM and to evaluate the effectiveness of the RAM.

3.7. The installation AT/FP officer will monitor, track and analyze RAM implementation efforts and provide the appropriate feedback through the chain of command to the 439 AW/CC.

3.8. Commanders and chiefs of staff agency are encouraged to and may ask to perform a RAM above those tasked by the 439 AW/CC. The 439 SFS/SFO and SFOF will offer assistance to these organizations and ensure they are recorded and do not cause alarm or interfere with base operations.

MARTIN M. MAZICK, Colonel, USAFR
Commander